**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 402+00.00 R1 TO STA. 402+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 403+00.00 R1 TO STA. 403+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 404+00.00 R1 TO STA. 404+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 405+00.00 R1 TO STA. 405+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 406+00.00 R1 TO STA. 406+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 407+00.00 R1 TO STA. 407+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 408+00.00 R1 TO STA. 408+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 409+00.00 R1 TO STA. 409+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 410+00.00 R1 TO STA. 410+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 411+00.00 R1 TO STA. 411+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 412+00.00 R1 TO STA. 412+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 413+00.00 R1 TO STA. 413+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 414+00.00 R1 TO STA. 414+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 415+00.00 R1 TO STA. 415+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 416+00.00 R1 TO STA. 416+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | |
|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 417+00.00 R1 TO STA. 418+00.00 R1 | DRAWING / SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | SECT |
| FILE: | TSC: MACOMB | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 418+50.00 R1 TO STA. 419+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Griffith

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 420+00.00 R1 TO STA. 421+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 421+50.00 R1 TO STA. 422+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 423+00.00 R1 TO STA. 424+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 424+50.00 R1 TO STA. 425+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 426+00.00 R1 TO STA. 427+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 427+50.00 R1 TO STA. 427+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 428+00.00 R1 TO STA. 429+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 429+50.00 R1 TO STA. 430+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven G. Hoffman

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 431+00.00 R1 TO STA. 432+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 432+50.00 R1 TO STA. 433+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 434+00.00 R1 TO STA. 435+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 435+50.00 R1 TO STA. 436+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 437+00.00 R1 TO STA. 438+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 438+50.00 R1 TO STA. 439+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 439+50.00 R1 TO STA. 440+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 440+50.00 R1 TO STA. 441+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven G. Hoffman

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 442+00.00 R1 TO STA. 443+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 443+50.00 R1 TO STA. 444+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 444+50.00 R1 TO STA. 445+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 445+50.00 R1 TO STA. 446+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 446+50.00 R1 TO STA. 447+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 447+50.00 R1 TO STA. 448+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Griffith

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 449+00.00 R1 TO STA. 450+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 450+50.00 R1 TO STA. 451+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 452+00.00 R1 TO STA. 453+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 453+50.00 R1 TO STA. 454+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 455+00.00 R1 TO STA. 456+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10

0 HORZ. (FT) 10

| | | | | |
|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 456+50.00 R1 TO STA. 457+50.00 R1 | DRAWING / SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | SECT |
| FILE: | TSC: MACOMB | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022





| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 458+00.00 R1 TO STA. 459+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |




**Innovate Mound Project**

# REVIEW

- APPROVED ☐
- APPROVED AS NOTED ☐
- ACCEPTED ☑
- ACCEPTED AS NOTED ☐
- AMEND AND RESUBMIT ☐
- REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022

| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10

0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 459+50.00 R1 TO STA. 460+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 461+00.00 R1 TO STA. 461+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 462+00.00 R1 TO STA. 463+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 463+50.00 R1 TO STA. 464+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 464+50.00 R1 TO STA. 465+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 465+50.00 R1 TO STA. 466+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 466+50.00 R1 TO STA. 467+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 467+50.00 R1 TO STA. 468+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 469+00.00 R1 TO STA. 470+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 470+50.00 R1 TO STA. 471+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022





| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 472+00.00 R1 TO STA. 473+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |




**Innovate Mound Project**

**REVIEW**

- APPROVED ☐
- APPROVED AS NOTED ☐
- ACCEPTED ☑
- ACCEPTED AS NOTED ☐
- AMEND AND RESUBMIT ☐
- REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022

| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10

HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 473+50.00 R1 TO STA. 474+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 475+00.00 R1 TO STA. 475+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 476+00.00 R1 TO STA. 477+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 477+50.00 R1 TO STA. 478+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 479+00.00 R1 TO STA. 480+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 480+50.00 R1 TO STA. 480+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 481+00.00 R1 TO STA. 482+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 482+50.00 R1 TO STA. 483+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven G. Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 484+00.00 R1 TO STA. 485+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 485+50.00 R1 TO STA. 486+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 487+00.00 R1 TO STA. 488+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 488+50.00 R1 TO STA. 489+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 490+00.00 R1 TO STA. 491+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY Steven Gilbert


DATE 02/17/2022




Sta. 492+50.00 R1




Sta. 492+00.00 R1




Sta. 491+50.00 R1

| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 491+50.00 R1 TO STA. 492+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 493+00.00 R1 TO STA. 494+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 494+50.00 R1 TO STA. 495+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 496+00.00 R1 TO STA. 497+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 497+50.00 R1 TO STA. 498+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Griffin

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 499+00.00 R1 TO STA. 500+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 500+50.00 R1 TO STA. 501+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 502+00.00 R1 TO STA. 503+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 503+50.00 R1 TO STA. 504+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 505+00.00 R1 TO STA. 506+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 506+50.00 R1 TO STA. 507+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 508+00.00 R1 TO STA. 508+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 509+00.00 R1 TO STA. 509+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 510+00.00 R1 TO STA. 510+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 511+00.00 R1 TO STA. 511+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 512+00.00 R1 TO STA. 512+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 513+00.00 R1 TO STA. 513+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 514+00.00 R1 TO STA. 514+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 515+00.00 R1 TO STA. 515+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 516+00.00 R1 TO STA. 516+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 517+00.00 R1 TO STA. 517+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 518+00.00 R1 TO STA. 518+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 519+00.00 R1 TO STA. 519+50.00 R1
SB MOUND RD

DRAWING

SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | |
|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 520+00.00 R1 TO STA. 521+00.00 R1 |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD |
| FILE: | TSC: MACOMB | | |

DRAWING | SHEET | SECT

**Innovate Mound Project**

REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10

0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 521+50.00 R1 TO STA. 522+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | |
|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 523+00.00 R1 TO STA. 523+50.00 R1 | DRAWING / SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | SECT |
| FILE: | TSC: MACOMB | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | |
|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 524+00.00 R1 TO STA. 524+50.00 R1 | DRAWING / SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | SECT |
| FILE: | TSC: MACOMB | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 525+00.00 R1 TO STA. 525+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 526+00.00 R1 TO STA. 526+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | |
|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 527+00.00 R1 TO STA. 528+00.00 R1 | DRAWING / SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | SECT |
| FILE: | TSC: MACOMB | | | |

**Innovate Mound Project**

REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 528+50.00 R1 TO STA. 529+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




Sta. 530+00.00 R1




Sta. 529+50.00 R1

| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 529+50.00 R1 TO STA. 530+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 530+50.00 R1 TO STA. 531+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 531+50.00 R1 TO STA. 532+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 533+00.00 R1 TO STA. 534+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 534+50.00 R1 TO STA. 535+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 535+50.00 R1 TO STA. 536+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 536+50.00 R1 TO STA. 537+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 537+50.00 R1 TO STA. 538+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 538+50.00 R1 TO STA. 539+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 539+50.00 R1 TO STA. 540+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 540+50.00 R1 TO STA. 541+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 541+50.00 R1 TO STA. 542+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022





| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 542+50.00 R1 TO STA. 543+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |




**Innovate Mound Project**

**REVIEW**

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022

| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 544+00.00 R1 TO STA. 545+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 545+50.00 R1 TO STA. 546+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven G. Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 546+50.00 R1 TO STA. 547+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven G. Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 548+00.00 R1 TO STA. 549+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 549+50.00 R1 TO STA. 550+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 550+50.00 R1 TO STA. 551+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 552+00.00 R1 TO STA. 552+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 553+00.00 R1 TO STA. 553+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 554+00.00 R1 TO STA. 554+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 555+00.00 R1 TO STA. 555+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 556+00.00 R1 TO STA. 556+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 557+00.00 R1 TO STA. 557+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 558+00.00 R1 TO STA. 558+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 559+00.00 R1 TO STA. 560+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Griffith

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 560+50.00 R1 TO STA. 561+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 562+00.00 R1 TO STA. 563+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 563+50.00 R1 TO STA. 564+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 565+00.00 R1 TO STA. 565+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 566+00.00 R1 TO STA. 566+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 567+00.00 R1 TO STA. 567+50.00 R1
SB MOUND RD

DRAWING

SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 568+00.00 R1 TO STA. 568+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 569+00.00 R1 TO STA. 570+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 570+50.00 R1 TO STA. 571+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 571+50.00 R1 TO STA. 572+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 572+50.00 R1 TO STA. 573+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 573+50.00 R1 TO STA. 574+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | |
|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 574+50.00 R1 TO STA. 575+00.00 R1 | DRAWING / SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | SECT |
| FILE: | TSC: MACOMB | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 575+50.00 R1 TO STA. 576+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 576+50.00 R1 TO STA. 577+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 578+00.00 R1 TO STA. 578+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 579+00.00 R1 TO STA. 579+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022







| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10

0 HORZ. (FT) 10

| | | | |
|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 580+00.00 R1 TO STA. 580+50.00 R1 |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD |
| FILE: | TSC: MACOMB | | |

| DRAWING | SHEET |
|---|---|
| | SECT |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 581+00.00 R1 TO STA. 581+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 582+00.00 R1 TO STA. 582+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 583+00.00 R1 TO STA. 583+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 584+00.00 R1 TO STA. 584+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 585+00.00 R1 TO STA. 585+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 586+00.00 R1 TO STA. 587+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 587+50.00 R1 TO STA. 588+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 589+00.00 R1 TO STA. 590+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 590+50.00 R1 TO STA. 591+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 592+00.00 R1 TO STA. 592+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 593+00.00 R1 TO STA. 593+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 594+00.00 R1 TO STA. 594+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 595+00.00 R1 TO STA. 595+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 596+00.00 R1 TO STA. 597+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 597+50.00 R1 TO STA. 598+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 599+00.00 R1 TO STA. 599+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 600+00.00 R1 TO STA. 600+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 601+00.00 R1 TO STA. 601+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 602+00.00 R1 TO STA. 602+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 603+00.00 R1 TO STA. 603+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10

0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 604+00.00 R1 TO STA. 604+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 605+00.00 R1 TO STA. 605+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 606+00.00 R1 TO STA. 606+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 607+00.00 R1 TO STA. 607+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 608+00.00 R1 TO STA. 608+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 609+00.00 R1 TO STA. 609+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 610+00.00 R1 TO STA. 610+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 611+00.00 R1 TO STA. 612+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 612+50.00 R1 TO STA. 613+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 613+50.00 R1 TO STA. 614+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 614+50.00 R1 TO STA. 615+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 615+50.00 R1 TO STA. 616+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 616+50.00 R1 TO STA. 617+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 618+00.00 R1 TO STA. 619+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 619+50.00 R1 TO STA. 620+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 621+00.00 R1 TO STA. 622+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 622+50.00 R1 TO STA. 623+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 624+00.00 R1 TO STA. 625+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 625+50.00 R1 TO STA. 626+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 627+00.00 R1 TO STA. 627+50.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 628+00.00 R1 TO STA. 628+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 629+00.00 R1 TO STA. 629+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

0 VERT. (FT) 10
0 HORZ. (FT) 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 630+00.00 R1 TO STA. 630+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 631+00.00 R1 TO STA. 632+00.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW

APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 632+50.00 R1 TO STA. 633+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 634+00.00 R1 TO STA. 635+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 635+50.00 R1 TO STA. 636+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 637+00.00 R1 TO STA. 637+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

**REVIEW**


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 638+00.00 R1 TO STA. 638+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 639+00.00 R1 TO STA. 639+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐


Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.


HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

FILE:

DATE: 12/17/21
DESIGN UNIT: XXX
TSC: MACOMB

CS: INFR50000
JN: 207178A

STA. 640+00.00 R1 TO STA. 641+00.00 R1
SB MOUND RD

DRAWING
SHEET
SECT

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | STA. 641+50.00 R1 TO STA. 642+50.00 R1 | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |

**Innovate Mound Project**

# REVIEW


APPROVED ☐
APPROVED AS NOTED ☐
ACCEPTED ☑
ACCEPTED AS NOTED ☐
AMEND AND RESUBMIT ☐
REJECTED - SEE REMARKS ☐

Reviewed only for general conformance with the project requirements indicated in Contract Documents and/or for consistency with the project design concept. This review does not relieve the Contractor from responsibility for errors or omissions in designs for which the Contractor is responsible. Contractor is responsible for compliance with all requirements of the Contract Documents and for the safe and successful construction of the work. This review does not consider the means, methods, techniques, sequences, fabrication processes, and operations of construction, or safety precautions or programs incidental thereto, which are the sole responsibility of the Contractor.

HNTB

BY Steven Gilbert

DATE 02/17/2022




| FINAL ROW PLAN REVISIONS (SUBMITTAL DATE: ) | | | | | | | |
|---|---|---|---|---|---|---|---|
| NO. | DATE | AUTH | DESCRIPTION | NO. | DATE | AUTH | DESCRIPTION |
| | | | | | | | |
| | | | | | | | |

MDOT Michigan Department of Transportation

VERT. (FT) 0 10
HORZ. (FT) 0 10

| | | | | | |
|---|---|---|---|---|---|
| | DATE: 12/17/21 | CS: INFR50000 | | DRAWING | SHEET |
| | DESIGN UNIT: XXX | JN: 207178A | SB MOUND RD | | SECT |
| FILE: | TSC: MACOMB | | | | |